

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|              |   |                              |
|--------------|---|------------------------------|
| Trade name   | : | Webtack LTX Canister (Clear) |
| Product code | : | Webtack LTX Canister (Clear) |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                                    |   |                                                          |
|------------------------------------|---|----------------------------------------------------------|
| Use of the Substance/<br>Mixture   | : | Adhesive                                                 |
| Recommended restrictions<br>on use | : | For industrial use only.<br>For professional users only. |

### 1.3 Details of the supplier of the safety data sheet

|                                                     |   |                                                                                             |
|-----------------------------------------------------|---|---------------------------------------------------------------------------------------------|
| Company                                             | : | Trade Grade Products Ltd.                                                                   |
| Address                                             | : | 70-72 Cobham Road<br>Ferndown Ind. Estate<br>Wimborne, Dorset<br>BH21 7RN<br>United Kingdom |
| Telephone                                           | : | +44 01202 820177                                                                            |
| E-mail address of person<br>responsible for the SDS | : | sales@thegluepeople.co.uk                                                                   |

### 1.4 Emergency telephone number

|                            |   |                                                                                                                                                                                                              |
|----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Emergency telephone number | : | In case of poisoning:<br>GBK-EMTEL International<br>Tel.(24h): +49(0)6132/84463 (all languages)<br>In case of transport accidents:<br>Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /<br>GBK) |
|----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Aerosols, Category 1

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                  | Concentration<br>(% w/w) |
|----------------------------------------------|-------------------------------------------------------|---------------------------------|--------------------------|
| Substances with a workplace exposure limit : |                                                       |                                 |                          |
| dimethoxymethane                             | 109-87-5<br>203-714-2                                 | Flam. Liq. 2; H225              | >= 30 - < 50             |
| Petroleum gases, liquefied (Liquified gas)   | 68476-85-7<br>270-704-2<br>649-202-00-6               | Flam. Gas 1; H220<br>Press. Gas | >= 30 - < 50             |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                         |                                                                                                                                                                                                                                          |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : If on clothes, remove clothes.<br>Show this safety data sheet to the doctor in attendance.<br>Symptoms of poisoning may even occur after several hours;<br>therefore medical observation for at least 48 hours after the<br>accident.  |
| If inhaled              | : Remove person to fresh air. If signs/symptoms continue, get<br>medical attention.<br>If breathing has stopped, apply artificial respiration.<br>In case of unconsciousness bring patient into stable side posi-<br>tion for transport. |
| In case of skin contact | : Wash off immediately with soap and plenty of water while<br>removing all contaminated clothes and shoes.<br>Call a physician if irritation develops or persists.                                                                       |
| In case of eye contact  | : Flush eyes with water at least 15 minutes. Get medical atten-<br>tion if eye irritation develops or persists.                                                                                                                          |
| If swallowed            | : Do NOT induce vomiting.                                                                                                                                                                                                                |

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

If accidentally swallowed obtain immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water mist  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)  
Alcohol-resistant foam

Unsuitable extinguishing media : Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.  
In case of fire, the following substance(s) may occur:  
Carbon monoxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Further information : In the event of fire, wear self-contained breathing apparatus.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

Use personal protective equipment.  
Use breathing protection against the effects of  
fumes/dust/aerosol.  
Evacuate personnel to safe areas.  
Ensure adequate ventilation.

#### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform  
respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,  
acid binder, universal binder, sawdust).  
Non-sparking tools should be used.  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid formation of dust and aerosols.  
Take note of emission threshold.  
Use solvent-proof equipment.  
Ensure that suitable extractors are available on processing  
machines.  
Handle with care.  
Keep eye wash bottle available on working place.  
Avoid release to the environment.  
Keep out of reach of children.  
Pressurized container: protect from sunlight and do not ex-  
pose to temperatures exceeding 50 °C. Do not pierce or burn,  
even after use.  
Do not spray on an open flame or other ignition source.  
Do not spray on a naked flame or any incandescent material.  
Keep away from sources of ignition - No smoking. Keep away  
from children.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

Use only with adequate ventilation.

Advice on protection against fire and explosion : Keep product and empty container away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. May form explosive mixtures in air. Highly volatile, flammable constituents are released during processing. In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.

Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a cool place. Heat will increase pressure and may lead to the container exploding.

Advice on common storage : Do not store together with oxidizing and self-igniting products.

### 7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                                 | CAS-No.    | Value type (Form of exposure) | Control parameters       | Basis   |
|--------------------------------------------|------------|-------------------------------|--------------------------|---------|
| dimethoxymethane                           | 109-87-5   | TWA                           | 1.000 ppm<br>3.160 mg/m3 | GB EH40 |
|                                            |            | STEL                          | 1.250 ppm<br>3.950 mg/m3 | GB EH40 |
| Petroleum gases, liquefied (Liquified gas) | 68476-85-7 | TWA                           | 1.000 ppm<br>1.750 mg/m3 | GB EH40 |

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

|  |                                                                                                                                                              |      |                          |         |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------------------------|---------|
|  | Further information: Capable of causing cancer and/or heritable genetic damage., Carcinogenic only applies if LPG contains more than 0.1% of buta-1,3-diene. |      |                          |         |
|  |                                                                                                                                                              | STEL | 1.250 ppm<br>2.180 mg/m3 | GB EH40 |
|  | Further information: Capable of causing cancer and/or heritable genetic damage., Carcinogenic only applies if LPG contains more than 0.1% of buta-1,3-diene. |      |                          |         |
|  |                                                                                                                                                              | TWA  | 1.000 ppm<br>1.750 mg/m3 | GB EH40 |
|  | Further information: Capable of causing cancer and/or heritable genetic damage.                                                                              |      |                          |         |
|  |                                                                                                                                                              | STEL | 1.250 ppm<br>2.180 mg/m3 | GB EH40 |
|  | Further information: Capable of causing cancer and/or heritable genetic damage.                                                                              |      |                          |         |

#### Derived No Effect Level (DNEL):

| Substance name                                                                                         | End Use | Exposure routes | Potential health effects | Value      |
|--------------------------------------------------------------------------------------------------------|---------|-----------------|--------------------------|------------|
| Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Workers | Inhalation      | Systemic, long-term      | 17,7 mg/m3 |
|                                                                                                        | Workers | Eye contact     | Local effects            |            |
|                                                                                                        | Workers | Dermal          | Systemic, long-term      | 5,03 mg/kg |

#### Predicted No Effect Concentration (PNEC):

| Substance name                                                                                         | Environmental Compartment | Value       |
|--------------------------------------------------------------------------------------------------------|---------------------------|-------------|
| Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Predator                  | 79,89 mg/kg |
|                                                                                                        | Soil                      | 3,086 mg/kg |
|                                                                                                        | Marine sediment           | 0,156 mg/kg |
|                                                                                                        | Fresh water sediment      | 1,56 mg/kg  |

## 8.2 Exposure controls

### Engineering measures

Please take care on national and local requirements.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles or equipment with better protection

Hand protection  
Material : Nitrile rubber or equipment with better protection

Remarks : Direct contact with the product must be avoided by organizational measures.

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

#### For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

#### For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

#### As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the dispos-



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

able nitrile glove off immediately and put on a new disposable nitrile glove.

|                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin and body protection | : | Protective clothing                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Respiratory protection   | : | Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.<br>In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.<br>In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.<br>Ensure that suitable extractors are available on processing machines. |
| Filter type              | : | Combined particulates and organic vapour type or equipment with better protection (A-P)                                                                                                                                                                                                                                                                                                                                                                                                     |
| Protective measures      | : | Keep away from food, drink and animal feedingstuffs.<br>Instantly remove any soiled and impregnated garments.<br>Wash hands before breaks and immediately after handling the product.<br>Avoid contact with the eyes and skin.<br>Store protective clothing separately.                                                                                                                                                                                                                     |

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                              |   |                   |
|------------------------------|---|-------------------|
| Appearance                   | : | aerosol           |
| Colour                       | : | natural colour    |
| Odour                        | : | characteristic    |
| Odour Threshold              | : | is not determined |
| pH                           | : | is not determined |
| Melting point/freezing point | : | is not determined |

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

|                                        |   |                                                                                            |
|----------------------------------------|---|--------------------------------------------------------------------------------------------|
|                                        | : | -40 °C                                                                                     |
| Flash point                            | : | < -60 °C                                                                                   |
| Evaporation rate                       | : | is not determined                                                                          |
| Relative vapour density                | : | is not determined                                                                          |
| Density                                | : | 0,88 g/cm <sup>3</sup>                                                                     |
| Solubility(ies)                        |   |                                                                                            |
| Water solubility                       | : | not miscible or difficult to mix                                                           |
| Partition coefficient: n-octanol/water | : | no data available                                                                          |
| Auto-ignition temperature              | : | is not determined                                                                          |
| Decomposition temperature              | : | Not applicable                                                                             |
| Explosive properties                   | : | Product is not explosive. However, formation of explosive vapour/air mixtures is possible. |

#### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No further relevant information available.

### 10.2 Chemical stability

No decomposition if used according to the specifications.

### 10.3 Possibility of hazardous reactions

|                     |   |                                           |
|---------------------|---|-------------------------------------------|
| Hazardous reactions | : | Develops readily flammable vapours/fumes. |
|---------------------|---|-------------------------------------------|

### 10.4 Conditions to avoid

|                     |   |                                                                   |
|---------------------|---|-------------------------------------------------------------------|
| Conditions to avoid | : | Heat may lead to dangerous pressure build-up in sealed container. |
|---------------------|---|-------------------------------------------------------------------|

### 10.5 Incompatible materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

Materials to avoid : No further relevant information available.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

##### Skin sensitisation

Based on available data, the classification criteria are not met.

##### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration toxicity

Based on available data, the classification criteria are not met.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

#### Product:

Mobility : Medium: Soil  
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Contaminated packaging : Disposal must be made according to official regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

## SECTION 14: Transport information

### 14.1 UN number

|      |   |         |
|------|---|---------|
| ADN  | : | UN 3501 |
| ADR  | : | UN 3501 |
| RID  | : | UN 3501 |
| IMDG | : | UN 3501 |

### 14.2 UN proper shipping name

|      |   |                                            |
|------|---|--------------------------------------------|
| ADN  | : | CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. |
| ADR  | : | CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. |
| RID  | : | CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. |
| IMDG | : | CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. |

### 14.3 Transport hazard class(es)

|      |   |     |
|------|---|-----|
| ADN  | : | 2   |
| ADR  | : | 2   |
| RID  | : | 2   |
| IMDG | : | 2.1 |

### 14.4 Packing group

|                              |   |                            |
|------------------------------|---|----------------------------|
| ADN                          |   |                            |
| Packing group                | : | Not assigned by regulation |
| Classification Code          | : | 8F                         |
| Hazard Identification Number | : | 23                         |
| Labels                       | : | 2.1                        |

|                              |   |                            |
|------------------------------|---|----------------------------|
| ADR                          |   |                            |
| Packing group                | : | Not assigned by regulation |
| Classification Code          | : | 8F                         |
| Hazard Identification Number | : | 23                         |
| Labels                       | : | 2.1                        |
| Tunnel restriction code      | : | (B/D)                      |

|                              |   |                            |
|------------------------------|---|----------------------------|
| RID                          |   |                            |
| Packing group                | : | Not assigned by regulation |
| Classification Code          | : | 8F                         |
| Hazard Identification Number | : | 23                         |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

## Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

Labels : 2.1

### IMDG

Packing group : Not assigned by regulation

Labels : 2.1

EmS Code : F-D, S-U

IATA (Passenger) : Not permitted for transport

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

|                                                                                                                                            |                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : Conditions of restriction for the following entries should be considered:<br>Number on list 75buta-1,3-diene<br>(Number on list 29, 28) |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                |             |
|------------------------------------------------------------------------------------------------|-------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59) | : Compliant |
|------------------------------------------------------------------------------------------------|-------------|

|                                                    |             |
|----------------------------------------------------|-------------|
| Regulation (EU) No 2024/590 on substances that de- | : Compliant |
|----------------------------------------------------|-------------|

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Compliant

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Compliant

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a FLAMMABLE AEROSOLS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,04 %

#### The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

REACH : On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

### SECTION 16: Other information

#### Full text of H-Statements

H220 : Extremely flammable gas.  
H225 : Highly flammable liquid and vapour.

#### Full text of other abbreviations

Flam. Gas : Flammable gases  
Flam. Liq. : Flammable liquids  
Press. Gas : Gases under pressure  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758

### Webtack LTX Canister (Clear)

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 26.06.2024  |
| 1.1     | 19.03.2025     | 100000031016 | Date of first issue: 26.06.2024 |
|         | Print Date:    |              |                                 |
|         | 14.04.2025     |              |                                 |

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department  
sales@thegluepeople.co.uk

#### Classification of the mixture:

Aerosol 1

H222, H229

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN